

The Finest and Ultimate  
Manufactured Stone  
Since 1997







TRAVERTINE ROCK WHITE  
H-13.3CM L-48.5CM T-2.3CM



TRAVERTINE ROCK BLACK  
H-13.3CM L-48.5CM T-2.3CM



TRAVERTINE ROCK CREAM  
H-13.3CM L-48.5CM T-2.3CM



## Neutral Stone Series



MINIMALIST SILENT WHITE  
H-9.53CM L-58.3CM T-2.54CM



MINIMALIST SILENT BLACK  
H-9.53CM L-58.3CM T-2.54CM



MINIMALIST SILENT YELLOW  
H-9.53CM L-58.3CM T-2.54CM



RINSING ROCK WHITE  
H-14.6CM L-49CM T-2.5CM



RINSING ROCK BLACK  
H-14.6CM L-49CM T-2.5CM



RINSING ROCK GRAY  
H-14.6CM L-49CM T-2.5CM




SCALLOP EDGE WHITE PEARL  
H-15CM L-60CM T-2.5CM




ROCK FACE BLACK TIE  
H-9.84CM L-39.6CM T-3.5CM



ROCK FACE GRAY TIE  
H-9.84CM L-39.6CM T-3.5CM




ROCK FACE WHITE TIE  
H-9.84CM L-39.6CM T-3.5CM




SCALLOP EDGE BLACK PEARL  
H-15CM L-60CM T-2.5CM

The product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.







# Wood Stone Series




SALVAGED WOOD DRIFTWOOD  
H-11CM L-58.3CM T-2.54CM




SALVAGED WOOD CORAL  
H-11CM L-58.3CM T-2.54CM




SALVAGED WOOD SHIPWRECK  
H-11CM L-58.3CM T-2.54CM




REVIV CEDAR GROVE  
H-20.8CM L-60CM T-2.5CM




REVIV SADDLE BROWN  
H-20.8CM L-60CM T-2.5CM




WOOD MOSAIC RUSTIC TAUPE  
H-38.1CM L-38.1CM T-1.91-3.49CM




WOOD MOSAIC AUTUMN BARK  
H-38.1CM L-38.1CM T-1.91-3.49CM



LINEAR WOOD HONEY  
H-4.6CM L-58.6CM T-2.2CM




LINEAR WOOD CHESTER BROWN  
H-4.6CM L-58.6CM T-2.2CM




LINEAR WOOD FLAMINGO  
H-4.6CM L-58.6CM T-2.2CM




LINEAR WOOD SEDONA  
H-4.6CM L-58.6CM T-2.2CM




DISTRESSED WOOD ROMAN GOLD  
H-4.6CM L-58.6CM T-2.2CM



DISTRESSED WOOD NIGHT FALL  
H-4.6CM L-58.6CM T-2.2CM



DISTRESSED WOOD MAPLE  
H-4.6CM L-58.6CM T-2.2CM




WOOD LEDGE GOLDEN REDWOOD  
H-4.6CM L-59.2CM T-2.5CM


The product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.



# Natural Stone Series








# 3D Stone Series












The product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.



# Classic Profiles



**All wall cladding products in this brochure have been applied with sealer. Sealer is sold separately. Please visit our website to see photos of stones before and after sealer application.**



The product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.



# Classic Profiles




**ISTONE DARK SHADOW**  
H-2.2 L-22.86 T-2.54CM



**ISTONE YELLOW FLASH**  
H-2.2 L-22.86 T-2.54CM




**CABLESTONE CARBON**  
H-9.3 L-38.71 T-1.91-3CM



**CABLESTONE CARAMEL**  
H-9.3 L-38.71 T-1.91-3CM



**CABLESTONE AMAZON**  
H-9.3 L-38.71 T-1.91-3CM



**CABLESTONE FOUR POCKETS**  
H-9.3 L-38.71 T-1.91-3CM



**Z STONE MATTERHORN**  
H-14.4 L-29.3 T-2.5CM




**Z STONE SOFT MOON**  
H-14.4 L-29.3 T-2.5CM




**Z STONE SIDEWALK GRAY**  
H-14.4 L-29.3 T-2.5CM



**FIELDSTONE GOOD EARTH**  
H-13.9-35.5 L-13.9-35.5 T-2.5-7.6CM




**FIELDSTONE COUNTRY**  
H-13.9-35.5 L-13.9-35.5 T-2.5-7.6CM




**FIELDSTONE EARTH BLEND**  
H-13.9-35.5 L-13.9-35.5 T-2.5-7.6CM



**RIVER ROCK COLONIAL**  
H-7.6-30.4 L-7.6-30.4 T-2.5-8.8CM



**RIVER ROCK PAINTED DESERT**  
H-7.6-30.4 L-7.6-30.4 T-2.5-8.8CM



**RIVER ROCK CREAM CHESTNUT**  
H-7.6-30.4 L-7.6-30.4 T-2.5-8.8CM

# Concrete Tiles



**BEVELED EDGE SMALL COLD WATER**  
H-7.4 L-14.7 T-1CM



**BEVELED EDGE SMALL ANCHOR GRAY**  
H-7.4 L-14.7 T-1CM



**WINDOW TILES MIDDAY SUN**  
H-12.8 L-48 T-2.6CM



**WINDOW TILES GOLDEN LOCK**  
H-12.8 L-48 T-2.6CM




**WINDOW TILES TWILIGHT**  
H-12.8 L-48 T-2.6CM




**SHIFTING TILES BONFIRE**  
H-13 L-49.3 T-2.8CM




**SHIFTING TILES HOT JAZZ**  
H-13 L-49.3 T-2.8CM




**MIMIC TILES DRAGON WOOD**  
H-11.5 L-44.4 T-2.5CM



**MIMIC TILES ROSE WOOD**  
H-11.5 L-44.4 T-2.5CM




**MIMIC TILES LAUREL WOOD**  
H-11.5 L-44.4 T-2.5CM




**MIMIC TILES IRON WOOD**  
H-11.5 L-44.4 T-2.5CM




**CAMO TILES EARLY SNOW**  
H-13 L-48.7 T-2.5CM



**CAMO TILES CARAMEL**  
H-13 L-48.7 T-2.5CM



**CAMO TILES DRIFTWOOD**  
H-13 L-48.7 T-2.5CM




**CAMO TILES TOFU**  
H-13 L-48.7 T-2.5CM

The product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.




# Bricks



## Corners Available

## Sealer



The product colors you see are as accurate as current photography and printing techniques allow. We suggest you look at product samples before you select colors.



# GET IN TOUCH

- 📍 630 J. P. Rizal St. Olympia, Makati City  
☎ 02 88957944 Fax No.: 02 88952275  
📞 09258016654/09399175124/09178332275
- 📍 RBL Building McArthur Hiway Quebiawan, City of San Fernando Pampanga  
📞 09178625520

- 🌐 [www.ezrocks.com](http://www.ezrocks.com)  
✉ [ezrocks97@yahoo.com](mailto:ezrocks97@yahoo.com)  
👍 Like us on facebook  
📺 [www.facebook.com/ezrockscsco](http://www.facebook.com/ezrockscsco)



EZ Rocks Co., Inc. is an innovative pioneer in the Philippine manufactured stone industry established in 1997. Since then it has earned the approval and following of the country's top property developers, discerning architects, engineers, interior designers as well as homeowners. Among the leading national and regional property developers that use EZ ROCKS in their internationally acclaimed projects include SMEDD, Solanaland, Century Properties, DMCI, Filinvest Land, Landmark Communities, Megaworld, Robinson's Land, Sta. Lucia Properties, Inc., Phinma Property Holdings, Sun & Earth Homes, Antel Grand Village, and Ayala Land Inc.

EZ ROCKS colors are more vivid and natural compared to the competition. Our proven molding method is the gold standard in the manufactured stone industry. Together with our unique and correct coloration technique, we produce perfect replicas of the actual color, texture, size, and shape of any natural stone. EZ ROCKS are individually hand-made by our highly skilled craftsmen using a special combination of mineral oxide pigments, premium Portland cement, lightweight aggregates, and other high-grade additives.

## INSTALLATION



### 1. SURFACE PREPARATION

Surface should be level and rough to ensure better adhesion of EZ Rocks. For new construction, have the wall steel-trowelled or raked. Finished or painted masonry walls must be roughened either through chipping or cutting vertical and horizontal lines on it. Use a hand-held circular saw with masonry blade to do this. A metal or wire lath with scratch coat is needed for walls such as wood or fiber cement board.



### 2. MORTAR MIXTURE

Dry mix 1:2 portland cement and heavy-duty tile adhesive and add water slowly until a paste-like consistency is achieved. For high-rise installation, 1 part Portland cement and 3 parts heavy-duty tile adhesive may be used.



### 3. APPLYING EZ ROCKS

Cover the entire back of EZ Rocks with about 1/2 inch of mortar and press it firmly into the wall, making sure to squeeze out some mortar around its edges.

Corner stones should be installed first, starting from the top down. Alternate the long and short legs of the corner stones in opposite directions. Apply flat stones starting from the outside and working towards the center of the wall. Make sure to alternate small and long pieces only when necessary (use broken pieces for this purpose). Always put level or chalk lines on the wall surface to serve as guide in installing the stones.



### 4. GROUTING JOINTS

For some EZ Rocks profiles that are best installed with joints, prepare a colored grout mix that compliments your stone color. Using a grout bag, squeeze the grout mixture to fill the joints between stones. Dry the grout until firm but not solid then use a jointing tool or stick to compress and set the grout into place around the stones. Brush off excess grout or mortar with a whisk broom or soft-bristled brush and clean the stones.

### 5. SEALER APPLICATION

If desired, a matte-finish breathable penetrating masonry sealer may be used as topcoat for EZ Rocks. Make sure to test the sealer first on a single stone to see the result and follow manufacturer's instructions. For best results, we highly recommend EZ Rocks sealer for this purpose.



# **E7 ROCKS** **PAVERS**

The Finest and Ultimate Manufactured Stone Since 1997

Our manufacturing process allow us to create a paver that is very dense, exceptionally strong, low maintenance and aesthetically beautiful.

## **HANDCRAFTED PAVERS**




**ROMAN COBBLESTONE**  
W - 11 to 15cm | L - 11 to 12.5cm | T - 2 to 3cm  
60 PCS PER/SQM






**KUADRO COBBLESTONE**  
W - 14cm | L - 28cm | T - 2cm  
25 PCS PER/SQM




**PIEDRA**  
W - 9cm | L - 9cm | T - 2cm  
124 PCS PER/SQM




**WOODY**  
W - 15cm | L - 15cm | T - 2.5cm  
44 PCS PER/SQM

**NON-SKID**  
W - 20.32cm | L - 20.32cm | T - 2.8cm  
25 PCS PER/SQM




**SLATE TILE**  
W - 15cm | L - 15cm | T - 2.5cm  
44 PCS PER/SQM

## **GRASS PAVERS**



**TWO-C**  
W - 25 cm | L - 25 cm | T - 6 cm  
16 PCS PER/SQM



**TURFSTONE**  
W - 40 cm | L - 40 cm | T - 8.5 cm  
6 PCS PER/SQM



**SINGLE 8**  
W - 20 cm | L - 40 cm | T - 8.5 cm  
12 PCS PER/SQM

**Note: All Pavers are available in different colors.**



# INTERLOCKING CONCRETE PAVERS

## HOLLAND



W - 10cm | L - 20cm | T - 7cm  
50 PCS PER/SQM

## PLANK



W - 10cm | L - 30cm | T - 7cm  
33 PCS PER/SQM

## SERPENTINE



W - 10cm | L - 20cm | T - 7cm  
50 PCS PER/SQM

## KEY HOLE



W - 11.5 cm | L - 23 cm | T - 5.5 cm  
38 PCS PER/SQM

## SOAVE



W - 13 cm | L - 30 cm | T - 6 cm  
26 PCS PER/SQM

## SMALL KEY




W - 11 cm | L - 22.5 cm | T - 6 cm  
40 PCS PER/SQM

## LEDGESTONE 3-FIT




A. W - 14 cm | L - 21 cm | T - 5 cm



B. W - 14 cm | L - 14 cm | T - 5 cm

51 PCS PER/SQM or 17 SETS/m<sup>2</sup>



C. W - 14 cm | L - 7 cm | T - 5 cm

**Note: The stone colors in this brochure are not as accurate as the actual colors, best to see actual sample.**

📍 630 J.P. Rizal St., Brgy. Olympia, Makati City  
 ☎ Tel no. (632) 895-7944  
 📠 Fax no. (632) 895-2275  
 📱 Mobile no. 0925-8016654 / 0939-9175124  
 0917-8332275  
 📍 RBL Building Brgy. Quebiawan,  
 San Fernando City, Pampanga  
 📱 Mobile no. 0917-8625520

✉ ezrocks97@yahoo.com  
 🌐 www.ezrocks.com  
 📺 www.youtube.com/ezrocks  
 📺 www.facebook.com/ezrockscsco  
 📺 @ezrocks97